

TEL : 0091 - 20 - 24450934
FACT : 02117 - 235133
E : kulkarniorganicspl@gmail.com
website : www.kulkarniorganics.com

KULKARNI ORGANICS PVT. LTD.

REGISTERED OFFICE :
172, SHANIWAR PETH,
TRIMBAKESHWAR CO-OP. SOC.
PUNE : 411 030. (MAHARASHTRA)

MANUFACTURING SITE :
PLOT NO. A-34/35, M.I.D.C,
KURKUMBH IND. AREA, TAL-DAUND,
DIST. PUNE : 413 802.

Date: 30.12.2025

To,
The Chief Conservator of forest,
Regional Office (WCZ), Ministry of Environment, Forest & Climate Change,
Ground floor, East Wing, New Secretariate Building,
Civil Lines, Nagpur – 440001,
Maharashtra.

Subject: Submission of half yearly Compliance report for Industrial Project- Synthetic Organic Chemical Manufacturing unit, by M/s. Kulkarni Organics Pvt. Ltd., at Plot No. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra.

Ref: Environment Clearance Letter No – File No. SEIAA Meeting No: 112 Meeting Date: July 27, 2017 (SEIAA STATEMENT-0000000373) SEIAA-MINUTES-0000000215 SEIAA-EC-0000000163, dated 9th August 2017.

Respected Sir,

With reference to the above subject, we are submitting the current status of our construction work, monitoring reports & point wise compliance status to various stipulations laid down by the ministry of Environment & forest along with necessary enclosure and annexure.


In accordance to your requirement please find enclosed herewith following documents for Post EC for the subject project for your kind reference.

1. Data sheet (July 2025 to December 2025).
2. Environment Clearance Letter.
3. Compliance Report.
4. Environment Monitoring Report (July 2025 to September 2025).
5. Environment Monitoring Report (October 2025 to December 2025).
6. Annexure I – Project Details
7. Annexure II –EMP Cost
8. Current Project Status Report
9. Copy of Consent to Operate
10. Copy of Consent to Establish

Hope you will find the above in line with your requirement.
Thanking you,

Yours faithfully,

For, M/s. Kulkarni Organics Pvt. Ltd.


Authorized Signatory

Copy to:

The member secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd & 4th floor, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India.

<u>MONITORING THE IMPLEMENTATION OF ENVIRONMENTAL SAFEGUARDS</u>	
MINISTRY OF ENVIRONMENT & FORESTS	
Regional Office (WCZ), Nagpur	
Monitoring Report	
<u>DATA SHEET</u>	
Period: July 2025 to December 2025	
1.	Project type: River -Valley/ Mining/ Industry/ Thermal/ Nuclear/ other (specify) : Industrial Estate.
2.	Name of the project : M/s. Kulkarni Organics Private Limited.
3.	Clearance letter (s)/OM no. and date : File No. SEIAA Meeting No: 112 Meeting Date: July 27, 2017 (SEIAASTATEMENT-0000000373) SEIAA-MINUTES-0000000215 SEIAA-EC-0000000163, dated 9th August 2017.
4.	Location : Plot No. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra.
	(a) District : Pune.
	(b) State : Maharashtra
	(c) Latitude / Longitude : --
5.	(a) Address for correspondence : Plot No. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra. - 413802
	(b) Address of Executive Project Engineer/ Manager (with pin code / Fax) : Mr. Uttam Kulkarni M/s. Kulkarni Organics Private Limited. Plot No. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra. - 413802
6.	Salient Features

	(a) Of the project	:	Refer Annexure 1-Project Details
	(b) Of Environmental Management Plans	:	Refer Annexure 1-Project Details
7.	Breakup of the project area		
	(a) Submergence area: forest & non forest.	:	Nil.
	(b) Others	:	The entire project area is non-agricultural land.
8.	Breakup of the project affected population with enumeration of those losing houses /dwelling units only, agricultural land only, both dwelling units & agricultural land & landless labourers /artisan.	:	The Proposed Project is located at the vacant land only clearing of small sized vegetation. Therefore, no population was dislocated or affected due to proposed Project.
	(a) SC, ST /Adivasis	:	Nil
	(b) Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details and years of survey)	:	Nil
9.	Financial details		
	(a) Project cost as originally planned and subsequent revised estimates and the year of price reference.	:	Project Cost (Planned)Rs.1.30 Crores
	(b) Allocation made for environmental management plans with item wise and year wise break-up.	:	Attached Annexure - II
	(c) Benefit cost ratio/Internal rate of Return and the year of assessment	:	Yet to finalise.
	(d) Whether (c) include the cost of environmental management as shown in the above.	:	Not applicable since (c) is yet to finalise.

	(e) Actual expenditure incurred on the project so far	:	Total Expenditure incurred till today is Rs. 2,94,97,376/-
	(f) Actual expenditure incurred on the environmental management plans so far	:	Expenditure on Solar System incurred is Rs. 16,87,469/-
10.	Forest land requirement.	:	There is no forest land involved.
	(a) The status of approval for diversion of forest land for non-forestry use	:	Not applicable
	(b) The status of clearing felling	:	Not applicable
	(c) The status of compensatory afforestation, if any	:	N.A
	(d) Comments on the viability & sustainability of compensatory afforestation programme in the light of actual field experience so far	:	Not applicable
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information	:	Nil
12.	Status of construction.	:	Plant is in Operation
	a) Date of commencement (Actual and/or planned)	:	Excavation Started: --
	b) Date of completion (Actual and/or planned)	:	2018
13.	Reason for the delay if the project is yet to start.	:	N.A
14.	Dates of site visits	:	

	(a) The dates on which the project was monitored by the Regional Office on previous occasions, if any	:	Monthly visited by MPCB Officer.
	(b) Date of site visit for this monitoring report	:	<ul style="list-style-type: none"> • August 2025 • November 2025 <p><i>(Environmental Monitoring report done by S A Encon Private Limited is Enclosed herewith)</i></p>
15.	<p>Details of correspondence with project authorities for obtaining action plans / information on status of compliance to safeguards other than the routine letters for logistic support for site visits.</p> <p>(The first monitoring report may contain the details of all the letters issued so far, but the later reports may cover only the letters issued subsequently.</p>	:	<p>Letter issued by MoEF:</p> <p>EC Letter: File No. SEIAA Meeting No: 112 Meeting Date: July 27, 2017 (SEIAA STATEMENT-0000000373) SEIAA-MINUTES-0000000215 SEIAA-EC-0000000163, dated 9th August 2017.</p> <p>Consent to Establish: ROP/E25/CC/ /PUNE/Pune-I/09/08, dated 15/05/2008.</p> <p>Consent to Operate: Format 1.0/AS(T)/UAN No. 0000167106/CR/2310000659, dated-10/10/2023.</p> <p>Valid upto 31.05.2028</p>



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: August 9, 2017

To,
Mr. Uttam Kulkarni
at A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra.

Subject: Environment Clearance for Industrial Project- Synthetic Organic Chemical Manufacturing unit
Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 112th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	M/s. Kulkarni Organics Pvt. Ltd.
2.Type of institution	Private
3.Name of Project Proponent	Mr. Uttam Kulkarni
4.Name of Consultant	SGM corporate Consultants Pvt Ltd, Pune
5.Type of project	Industrial Project
6.New project/expansion in existing project/modernization/diversification in existing project	New project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not Applicable
8.Location of the project	A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra.
9.Taluka	Daund
10.Village	Kurkumbh
11.Area of the project	In MIDC Area (MIDC Kurkumbh)
12.IOD/IOA/Concession/Plan Approval Number	MIDC plot possession letter has been obtained IOD/IOA/Concession/Plan Approval Number: Not Applicable Approved Built-up Area: 1011.858
13.Note on the initiated work (If applicable)	Not Applicable
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Not Applicable
15.Total Plot Area (sq. m.)	3835.00 sq. m
16.Deductions	Not applicable
17.Net Plot area	Not applicable
18.Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable Non FSI area (sq. m.): Not applicable Total BUA area (sq. m.): Not applicable

SEIAA Meeting No: 112 Meeting Date: July 27, 2017 (SEIAA-STATEMENT-000000373)
SEIAA-MINUTES-0000000215
SEIAA-EC-0000000163

Page 1 of 12

Shri Satish.M.Gavai (Member Secretary SEIAA)

19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	13000000



Government of Maharashtra


Shri Satish.M.Gavai (Member Secretary SEIAA)

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	2-(2-Chloro Ethoxy) Acetamide	0	0.25	0.25
2	4-Nitro Phenyl Ethyl Amine HCL	0	0.10	0.10
3	5-Methyl Nicotinic Acid	0	0.10	0.10

23. Total Water Requirement

Dry season:	Source of water	MIDC Kurkumbh
	Fresh water (CMD):	7.04
	Recycled water - Flushing (CMD):	0
	Recycled water - Gardening (CMD):	0
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	7.04
	Fire fighting - Underground water tank(CMD):	60
	Fire fighting - Overhead water tank(CMD):	5
	Excess treated water	1
Wet season:	Source of water	MIDC Kurkumbh
	Fresh water (CMD):	7.04
	Recycled water - Flushing (CMD):	0
	Recycled water - Gardening (CMD):	0
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	7.04
	Fire fighting - Underground water tank(CMD):	60
	Fire fighting - Overhead water tank(CMD):	5
	Excess treated water	1
Details of Swimming pool (If any)	Not applicable	



24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	0	0.54	0.54	0	0.10	0.10	0	0.43	0.43
Industrial Process	0	4	4	0	0.1	0.1	0	3.9	3.9
Cooling tower & thermopack	0	1.5	1.5	0	1.5	1.5	0	0	0
Gardening	0	1	1	0	1	1	0	0	0

25.Rain Water Harvesting (RWH)


Level of the Ground water table:	80-90 m
Size and no of RWH tank(s) and Quantity:	25 Cum, 1 No
Location of the RWH tank(s):	Ground
Quantity of recharge pits:	Not Applicable
Size of recharge pits :	Not Applicable
Budgetary allocation (Capital cost) :	3 Lacs
Budgetary allocation (O & M cost) :	0.5 Lacs
Details of UGT tanks if any :	Not Applicable

26.Storm water drainage

Natural water drainage pattern:	Through MIDC drain
Quantity of storm water:	7.09 Cum/sec
Size of SWD:	200 x 300 mm

27.Sewage and Waste water


Sewage generation in KLD:	0.43
STP technology:	Primary Treatment
Capacity of STP (CMD):	1 STP of 1 CMD
Location & area of the STP:	Ground
Budgetary allocation (Capital cost):	1.5 Lacs
Budgetary allocation (O & M cost):	0.5 Lacs/Annum



28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Not Applicable
	Disposal of the construction waste debris:	Not Applicable
Waste generation in the operation Phase:	Dry waste:	Not Applicable
	Wet waste:	Not Applicable
	Hazardous waste:	i) ETP – sludge: 0.15 TPM ii) Residues & MEE bottom waste: 0.25 TPM
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	Not Applicable
	Others if any:	Not Applicable
Mode of Disposal of waste:	Dry waste:	Not Applicable
	Wet waste:	Not Applicable
	Hazardous waste:	Hazardous waste will be Sent to CHWTSDF
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	Used as Manure
	Others if any:	Not Applicable
Area requirement:	Location(s):	On Ground
	Area for the storage of waste & other material:	Not Applicable
	Area for machinery:	Not Applicable
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Not Applicable
	O & M cost:	Not Applicable

Government of Maharashtra




29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	-	6.2	7.5	5.5-8.5
2	BOD	mg/lit	1500	<100	100
3	COD	mg/lit	5000	<250	250
4	TDS	mg/lit	5000	<100	100
Amount of effluent generation (CMD):		3.9			
Capacity of the ETP:		10			
Amount of treated effluent recycled :		2			
Amount of water sent to the CETP:		NIL. Zero Liquid Discharge will be achieved by the Industry.			
Membership of CETP (if required):		PP has obtained membership letter from CETP			
Note on ETP technology to be used		The ETP will comprise of Oil & Grease Trap, Collection cum Neutralization Tank, Primary Settling Tank, Aeration Tank, Secondary Settling Tank and Pressure Sand Filter. Multi Effect Evaporator of capacity of 2.5 M ³ /Day will be installed and Zero Liquid Discharge will be achieved.			
Disposal of the ETP sludge		ETP sludge & Bottom solid waste from MEE will be sent to CHWTSDF.			




**Government of
Maharashtra**



30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	ETP Sludge	33.2	TPM	0	0.15	0.15	CHWTSDF
2	Residues & MEE bottom waste	31.1	TPM	0	0.25	0.25	CHWTSDF
31.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	DG set	HSD - 6 litre/hr	1	3	0.1	75 degrees	
2	LDO Boiler stack	LDO - 16 lit/hr	2	12	0.4	150 degrees	
3	Agro waste/Solid Fuel Boiler stack	Agro waste/Solid Fuel- 40 Kgs/Hr	3	18	0.6m at ground level & 0.4 m at top level	170 degrees	
32.Details of Fuel to be used							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	LDO	0	16 lit/hr	16 lit/hr			
2	HSD	0	6 Lit/hr	6 Lit/hr			
3	Agrowaste/Solid Fuel	0	40 Kgs/Hr	40 Kgs/Hr			
33.Source of Fuel		Local Vendor					
34.Mode of Transportation of fuel to site		By Road					
35.Energy							

Government of Maharashtra



Power requirement:	Source of power supply :	MSEB
	During Construction Phase: (Demand Load)	Not Applicable
	DG set as Power back-up during construction phase	Not Applicable
	During Operation phase (Connected load):	60HP
	During Operation phase (Demand load):	80 HP
	Transformer:	Not Applicable
	DG set as Power back-up during operation phase:	Total No 1 X 30 KVA
	Fuel used:	HSD
	Details of high tension line passing through the plot if any:	Not Applicable

Energy saving by non-conventional method:

Solar for plant illumination

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	Solar for plant illumination	10 Tubes

37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air	Not Applicable	Dust Collector
Water	Not Applicable	ETP & STP
Noise	Not Applicable	Acoustic enclosure
Solid Waste	Not Applicable	CHWTSDF

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	10.0 lacs
	O & M cost:	2.0 lacs


38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	Not Applicable	Not Applicable	Not Applicable

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air	Air Pollution Control	3.0	1.0



2	Water	Water Pollution Control	26.0	2.5
3	Noise	Noise Pollution Control	2.0	0.5
4	Environment Monitoring	Environment Monitoring	-	0.5
5	Occupational Health	Occupational Health	2.0	0.5
6	Green Belt	Green Belt	1.0	0.5
7	Rain Water Harvesting	Rain Water Harvesting	3.0	0.5
8	Solid waste management	Solid waste management	1.0	0.5
9	Solar for plant illumination	Solar for plant illumination	10.0	2.0


39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Storage of chemicals	Separate Storage facility in the industrial area.	Separate Storage facility in the industrial area.	-	-	-	Local Vendor	By Road

40.Any Other Information

No Information Available

Government of Maharashtra




	CRZ/ RRZ clearance obtain, if any:	Not Applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not Applicable
	Category as per schedule of EIA Notification sheet	5 (f)
	Court cases pending if any	Not Applicable
	Other Relevant Informations	<p>Zero Liquid Discharge:</p> <p>Kulkarni Organics Pvt Ltd will generate 3.9 CMD of Effluent per day. Out of which 1.25 CMD is not exactly effluent. It consists of reactor washings, floor washings and final washing of materials in centrifuge. 1.25 CMD of water will be used in cooling tower attached to MultiEffect Evaporator.</p> <p>Kulkarni Organics Pvt Ltd is setting up 2.5 CMD capacity MultiEffect Evaporator near boiler house along with solid fuel boiler (Agrowaste/Coal) of 600 Kgs/hr capacity.</p> <p>The whole system consist of above and 7.5 HP Jet Ejector, Cooling Tower, Pumps, Centrifuge & Tanks required for effluent storage and distilled water storage.</p> <p>MultiEffect Evaporator is operated about 12 hours per day and all the effluent is evaporated using steam, vacuum, cooling tower and finally thick mass will be centrifuged. Solids will be collected and sent to Maharashtra Environ Power Ltd. and liquid is recirculated in MultiEffect Evaporator.</p>
	Have you previously submitted Application online on MOEF Website.	Yes
	Date of online submission	01-01-1900

3. The proposal has been considered by SEIAA in its 112th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:


Specific Conditions:

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	73 TPH boiler should have stack height of 68m and flue gases shall be passed through an ESP of 99.9% efficiency before being led into the 68 m stack.
III	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
IV	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
V	Proper Housekeeping programmers shall be implemented.
VI	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VII	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VIII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
IX	Arrangement shall be made that effluent and storm water does not get mixed.



X	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
XI	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XII	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XIII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIV	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XVI	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVII	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVIII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XIX	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XXI	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXII	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXIII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIV	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXVI	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Shri Satish.M.Gavai (Member Secretary SEIAA)

Copy to:

1. SHRI ANAND. B. KULKARNI, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI JOHNY JOSEPH, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER PUNE
10. MUNICIPAL COMMISSIONER SATARA
11. REGIONAL OFFICE MPCB PUNE
12. REGIONAL OFFICE MIDC PUNE
13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
14. COLLECTOR OFFICE PUNE
15. COLLECTOR OFFICE SATARA
16. COLLECTOR OFFICE SOLAPUR

COMPLIANCE REPORT

EC No.	:	File No. (SEIAASTATEMENT-000000373) SEIAA-MINUTES-000000215SEIAA-EC-000000163 , dated 9 th August 2017.
Project Name	:	M/s. Kulkarni Organics Pvt. Ltd.
Project location	:	A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra-413802
Developers address	:	M/s. Kulkarni Organics Pvt. Ltd. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra-413802

The proposal has been considered by SEIAA in its 112th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:**General Conditions:**

Sr. No.	EC Conditions	Compliance Status
1.	PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.	Noted & complied.
2.	600 KG/HR boiler should have stack height of 18 m. and flue gases shall be passed through an ESP of 99.9% efficiency before being led into the 18 m stack.	Noted & complied.
3.	No additional land shall be used /acquired for any activity of the project without obtaining proper Permission.	Noted.
4.	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	Noted & complied. Health Checkup Details certificate of Pyramid Hospital Attached
5.	Proper Housekeeping programmers shall be implemented.	Noted & complied. All housekeeping workers are given the proper training before joining & regular training programs are arranged.
6.	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.	Noted
7.	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).	Noted & complied.
8.	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	Noted & complied. Part of collected rainwater is used for cooling tower

9.	Arrangement shall be made that effluent and storm water does not get mixed.	Noted & complied. Effluent collection transport evaporation is done in closed loop.
10.	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Noted. In the company premises, there is no any bore well.
11.	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	Noted & complied. <ul style="list-style-type: none"> • All DG are with acoustic enclosure. • Plantation is done within & around the boundary area of the company. 33% green belt of the plot area Is Completed • Earplugs have been provided to all people working in the industry.
12.	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.	Noted & complied. For noise reduction, All DG have an acoustic enclosure. Plantation is done within & around the boundary area of the company. The company maintains noise levels below 75dB of daytime & 70 dB
13.	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Noted & complied. 33% area of total plot area of the unit is covered by plantation with different plant species. Total tree planted 70 Nos
14.	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Noted & complied.
15.	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.	Noted & complied. All the company workers are gone through health check-ups on regular basis. Date 14.01.2025 Certificate Attached
16.	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Noted & complied. Completion certificate received from MIDC Fire Department Dated Certificate

		Attached.
17.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.	Noted & complied. As the company is a member of MEPL, Ranjangaon, Pune, the generated hazardous waste is loaded on truck with all precautions and transferred to MEPL, Ranjangaon, and Pune for further treatment. The registration certificate of Maharashtra Enviro Power Limited is enclosed. MEPL/CPK039, An authorized agency for handling, transporting & disposal of Solid Hazardous Waste.
18.	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.	Noted & complied.
19.	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Noted & complied.
20.	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with Item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department	Noted & complied. EMP allocation is enclosed as annexure-II.
21.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Web site at http://ec.maharashtra.gov.in	Advertisement in Daily Marathi Newspaper Pudhari Dated 26.09.2017 copy of attached
22.	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1 st June & 1 st December of each calendar year.	Noted & complied. EC compliance report with all necessary document is submitted to MPCB. Date 30.06.2025
23.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also	Noted.

	be put on the website of the Company by the proponent.	
24.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectorial parameters, Indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	1.We have uploaded six monthly report from July 2018 to 30.06.2024. 2.We have uploaded EC Certificate on Companies Website. www.kulkarniorganics.com
25.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Noted & complied. EC compliance report with all necessary document is submitted to MoEF, Nagpur. Date 30.06.2025
26.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	The Environment Statement report is Submitted on dated 3rd September 2023 & next will be submitted on or before 30th September 2024. Submitted on 30 th Sept 2024.
OTHER CONDITIONS		
1.	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Noted.
2.	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	Noted.
3.	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.	Noted.
4.	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification,	Noted.

	2006, and amendments by MoEF & CC Notification dated 29th April, 2015.	
5.	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) Imposed and to incorporate additional environmental protection measures required, if any.	Noted.
6.	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	Noted.
7.	Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
 ☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

AMBIENT AIR QUALITY MONITORING REPORT			
Report No.	SEETL/Project/AR/03/025/001-017-025-041-049-065-073-089 SEETL/Project/AR/04/025/001-017-025-041-049-065-073-089 SEETL/Project/AR/05/025/001-017-025-041-049-065-073-089	Report Date	06-06-2025
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.		
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802		
Order Reference	LOI Dated-13/02/2025		
ULR No.	-		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Sample Collected By	SEETL Representative	Environmental Condition of Lab	
Month of Sampling	March 2025 - April 2025 - May 2025	Temperature (°C)	25
		Humidity (%)	51

AMBIENT AIR STATION LOCATION

Location of Ambient Air station	A1- Project Site
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM- 411)

POLLUTION PARAMETERS

Parameters	PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	Ozone µg/m ³	CO mg/m ³
Limits as per NAAQS 2009	100	60	80	80	180	4.0
Test Method	IS 5182 (Part 23) 2006RA: 2022	EPA Quality assurance guidance document 2.12, based on CPCB- 2011	IS 5182(Part 2/ Sec 1): 2023	IS 5182 (Part 6): 2006 RA: 2022	IS 5182 (Part 9): 1974 RA: 2024	IS 5182 (Part 10) : 1999 RA 2024
Dates of Sampling						
05-03-2025	70.1	25.8	17	38	19.1	1.1
06-03-2025	74.7	26.5	15	32	14.1	1.3
12-03-2025	72.6	26.2	13	37	17.8	1.0
13-03-2025	73.7	27.6	14	32	19.1	1.1
19-03-2025	74.9	28.9	17	29	11.8	1.1
20-03-2025	72.3	25.1	16	37	11.4	1.2
26-03-2025	74.2	29.9	18	33	17.6	1.3
27-03-2025	71.5	24.6	14	39	11.7	1.2
02-04-2025	72.7	26.9	14	38	10.6	1.2
03-04-2025	73.2	25.5	16	33	18.5	1.1
09-04-2025	70.4	26.8	17	37	11.1	1.0
10-04-2025	73.5	27.7	15	32	18.7	1.2
16-04-2025	71.6	24.8	15	28	15.9	1.1
17-04-2025	74.7	25.6	14	33	11.5	1.0
23-04-2025	75.2	26.2	13	31	10.1	1.2
24-04-2025	75.4	25.3	12	32	11.1	1.3
06-05-2025	73.7	27.5	18	30	15.4	1.2
07-05-2025	71.7	29.7	14	29	11.7	1.0
13-05-2025	74.2	25.8	17	27	19.1	1.2
14-05-2025	73.4	27.3	15	29	15.4	1.2
20-05-2025	72.6	29.8	18	28	11.1	1.3
21-05-2025	75.9	26.8	15	29	11.5	1.0
27-05-2025	71.7	28.2	14	33	19.6	1.1
28-05-2025	75.3	29.3	14	30	11.1	1.2
Min	70.1	24.6	12.0	27.0	10.1	1.0
Max	75.9	29.9	18.0	39.0	19.6	1.3
Average	73.3	27.0	15.2	32.4	14.4	1.2
98 Percentile	75.7	29.9	18.0	38.5	19.4	1.3

Note: Test results related only to the sample tested.

: Test results relate only to the condition prevailing at the time of sampling.

R.D.S. – Respirable Dust Sampler. F.P.S. – Fine Particulate Sampler. G.P.S. – Gaseous Pollutant Sampler.



Authorized Signatory
Yojana Chandoskar



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

AMBIENT AIR QUALITY MONITORING REPORT						
Report No.	SEETL/Project/AR/03/025/001-017-025-041-049-065-073-089 SEETL/Project/AR/04/025/001-017-025-041-049-065-073-089 SEETL/Project/AR/05/025/001-017-025-041-049-065-073-089			Report Date	06-06-2025	
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.					
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802					
Order Reference	LOI Dated-13/02/2025					
ULR No.	-					
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32			
Sample Collected By	SEETL Representative		Environmental Condition of Lab			
Month of Sampling	March 2025 - April 2025 - May 2025		Temperature (°C)	25	Humidity (%)	51

AMBIENT AIR STATION LOCATION

Location of Ambient Air station	A1 – Project Site
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM- 411)

POLLUTION PARAMETERS

Parameters	Ammonia (NH ₃) µg/m ³	Lead as Pb µg/m ³	Benzene (C ₆ H ₆) µg/m ³	Arsenic(As) ng/m ³	Nickel(Ni) ng/m ³	Benzo (a)Pyrene ng/m ³
Limits as per NAAQS 2009	400	01.00	5.00	6.00	20.00	1.00
Test Method	CPCB guidelines for measurement of ambient air pollutants volume-I:2011	EPA compendium method IO 3.5: 2012	IS 5182 (Part 11) :2006 RA 2022	EPA compendium method IO 3.5: 2012	EPA compendium method IO 3.5: 2012	IS 5182 (Part 12): 2004 RA: 2024
Dates of Sampling						
05-03-2025	27	< 0.1	<4.0	< 5	< 5	<0.1
06-03-2025	21	< 0.1	<4.0	< 5	< 5	<0.1
12-03-2025	24	< 0.1	<4.0	< 5	< 5	<0.1
13-03-2025	22	< 0.1	<4.0	< 5	< 5	<0.1
19-03-2025	24	< 0.1	<4.0	< 5	< 5	<0.1
20-03-2025	28	< 0.1	<4.0	< 5	< 5	<0.1
26-03-2025	23	< 0.1	<4.0	< 5	< 5	<0.1
27-03-2025	27	< 0.1	<4.0	< 5	< 5	<0.1
02-04-2025	25	< 0.1	<4.0	< 5	< 5	<0.1
03-04-2025	24	< 0.1	<4.0	< 5	< 5	<0.1
09-04-2025	27	< 0.1	<4.0	< 5	< 5	<0.1
10-04-2025	20	< 0.1	<4.0	< 5	< 5	<0.1
16-04-2025	21	< 0.1	<4.0	< 5	< 5	<0.1
17-04-2025	28	< 0.1	<4.0	< 5	< 5	<0.1
23-04-2025	22	< 0.1	<4.0	< 5	< 5	<0.1
24-04-2025	27	< 0.1	<4.0	< 5	< 5	<0.1
06-05-2025	29	< 0.1	<4.0	< 5	< 5	<0.1
07-05-2025	25	< 0.1	<4.0	< 5	< 5	<0.1
13-05-2025	22	< 0.1	<4.0	< 5	< 5	<0.1
14-05-2025	29	< 0.1	<4.0	< 5	< 5	<0.1
20-05-2025	24	< 0.1	<4.0	< 5	< 5	<0.1
21-05-2025	27	< 0.1	<4.0	< 5	< 5	<0.1
27-05-2025	22	< 0.1	<4.0	< 5	< 5	<0.1
28-05-2025	24	< 0.1	<4.0	< 5	< 5	<0.1
Min	20.0	< 0.1	<4.0	< 5	< 5	<0.1
Max	29.0	< 0.1	<4.0	< 5	< 5	<0.1
Average	24.7	< 0.1	<4.0	< 5	< 5	<0.1
98 Percentile	29.0	< 0.1	<4.0	< 5	< 5	<0.1

Note: Test results related only to the sample tested.

: Test results relate only to the condition prevailing at the time of sampling.

R.D.S. – Respirable Dust Sampler. F.P.S. – Fine Particulate Sampler. G.P.S. – Gaseous Pollutant Sampler.

***** END OF THE REPORT*****



Authorized Signatory
Yojana Chandoskar

Page 2 of 2

Format No. SEEPL/QF/7.8/01

GOA OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

• Lab. Recognised Under Environment (Protection) Act, 1986, by MoEF & CC, GOI

• Lab Certified by ISO 9001:2015 & ISO 45001 : 2018



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report Number	SEETL/Project/W/04/2025/050-051	Report Date	17/04/2025	
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.			
Address of Client	Plot No. A 34/35, MIDC Kurkumbh Tal Daund, Dist Pune., 413802.			
Order/Reference	LOI Dated : 13/02/2025			
Sample Collection Date	11/04/2025	Sample Receipt Date	11/04/2025	
Analysis Started On	11/04/2025	Analysis Completed On	17/04/2025	
ULR Number	-			
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/WA-62	
Environmental Condition of Lab	Temp °C	26.1	Humidity %	54
Sampling Point	ETP			
Sample Details	I – Raw Effluent		II - Treated Effluent	
Sample Container	PVC can & Glass bottle	Sample Quantity	1000 ml + 1000 ml Each	
Sample Collected By	SEETL Representative			

Chemical Parameters

Sr. No.	Parameters	Results		Unit	Method
		I	II		
1.	pH	7.81	8.20	-	IS 3025 (Part 11) : 2022
2.	Chemical Oxygen Demand	14080.00	24.00	mg/lit.	APHA (24 th Edition) 5220-B : 2023
3.	Biochemical Oxygen Demand 3 days at 27°C	4518.00	7.83	mg/lit.	IS 3025 (Part 44) : 2023
4.	Total suspended solids	508	13	mg/lit.	APHA (24 th Edition) 2540-D : 2023
5.	Total dissolved solids	63064	705	mg/lit.	APHA (24 th Edition) 2540-C : 2023
6.	Oil & Grease	1.20	<1.0	mg/lit.	IS 3025 (Part 39/5):2021

Note : Test results related only to the sample tested.

: This certificate may not be reproduced without the permission of this laboratory.

: Retention Period of Sample is 8 days from the date of Analysis report.

*****END OF THE REPORT*****



Nilesh Naik
Authorized Signatory
Nilesh Naik

Page 1 of 1

Format No. SEETL/LD/F-72

GOA OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

• Lab. Recognised Under Environment (Protection) Act, 1986, by MoEF & CC, GOI

• Lab Certified by ISO 9001:2015 & ISO 45001 : 2018



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	SEETL/Project/N/03/025/009-033-057-081 SEETL/Project/N/04/025/009-033-057-081 SEETL/Project/N/05/025/009-033-057-081	Report Date	06-06-2025	
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.			
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802			
Order Reference	LOI Dated-13/02/2025			
ULR No.	-			
Sample Collected By	SEETL Representative	Sampling SOP No.	SEETL/LD/SOP/AA-31	
Sampling Period	MARCH 2025 - APRIL 2025 - MAY 2025	Sampling Plan	SEETL/LD/F-03	
Location	N1 - Project site			
Sr. No.	Date	Unit	Day time	Night Time
1.	05/03/2025	Leq dB(A)	66.3	55.9
2.	12/03/2025	Leq dB(A)	66.5	56.7
3.	19/03/2025	Leq dB(A)	66.0	56.6
4.	26/03/2025	Leq dB(A)	66.2	56.8
5.	02/04/2025	Leq dB(A)	66.1	58.2
6.	09/04/2025	Leq dB(A)	66.3	56.8
7.	16/04/2025	Leq dB(A)	66.7	57.0
8.	23/04/2025	Leq dB(A)	66.2	57.2
9.	06/05/2025	Leq dB(A)	66.4	57.6
10.	13/05/2025	Leq dB(A)	66.6	57.2
11.	20/05/2025	Leq dB(A)	65.9	57.3
12.	27/05/2025	Leq dB(A)	66.6	57.6
Average Noise		Leq dB(A)	66.3	57.1
Method:- IS 9989:1981 RA: 2023				
➤ Limit During Day time <75. (Day time shall mean from 6.00 am to 10.00 pm.)				
➤ Limit During Night time <70. (Night time shall mean from 10.00 pm to 6.00 am.)				
➤ *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A Which is relatable to human hearing A "decibel" is a unit in which noise is measured.				
"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.				
➤ Leq: It is the energy mean of the noise level over a specified period.				
Note: Test results related only to the sample tested.				
: Test results relate only to the condition prevailing at the time of sampling.				
***** END OF THE REPORT*****				



Authorized Signatory
Yojana Chandoskar



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report No	SEETL/Project/ST/05/023/097	Report Date	02/06/2025	
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.			
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802			
Order / Reference	LOI Dated-13/02/2025			
Date Of sampling	28/05/2025	Sample Receipt Date	29/05/2025	
Analysis Started on	29/05/2025	Analysis Completed On	02/06/2025	
ULR No.	-			
Sample Collected By	SEETL Representative			
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32	
Environmental Condition of Lab	Temperature(°C)	25	Humidity (%)	51

DETAILS OF STACK

Attached To	S1-Boiler-I
Shape	Round
Diameter (mm)	380
Height from Ground Level (Mtr)	18 Mtr
Temperature (°C)	136.00
Velocity of Flue Gases (m/sec)	5.85
Volume of Flue Gases (m ³ /hour)	2388.39
Volume of Flue Gases (Nm ³ /hour)	1731.51
Type of Fuel	LDO

POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
Total Particulate Matter	56.46	mg/Nm ³	150	IS 11255 (Part 1) : 1985 RA: 2024
Sulphur dioxide (SO ₂)	7.3	Kg/Day	13.824	IS 11255 (Part 2) : 1985 RA: 2024
Oxides of Nitrogen (NO ₂)	40.11	mg/Nm ³	-	IS 11255 (Part 7):2005 RA: 2022

- NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Authorized Signatory
Yojana Chandoskar



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
© : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report No	SEETL/Project/ST/05/023/098	Report Date	02/06/2025	
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.			
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802			
Order / Reference	LOI Dated-13/02/2025			
Date Of sampling	28/05/2025	Sample Receipt Date	29/05/2025	
Analysis Started on	29/05/2025	Analysis Completed On	02/06/2025	
ULR No.	-			
Sample Collected By	SEETL Representative			
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32	
Environmental Condition of Lab	Temperature(°C)	25	Humidity (%)	51

DETAILS OF STACK

Attached To	S2- Boiler II(600 kg/hr)
Shape	Round
Diameter (mm)	380
Height from Ground Level (Mtr)	18 Mtr
Temperature (°C)	121.00
Velocity of Flue Gases (m/sec)	5.67
Volume of Flue Gases (m ³ /hour)	2315.58
Volume of Flue Gases (Nm ³ /hour)	1742.64
Type of Fuel	Agro waste/ Solid Fuels

POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
Total Particulate Matter	58.96	mg/Nm ³	150	IS 11255 (Part 1) : 1985 RA: 2024
Sulphur dioxide (SO ₂)	0.7	Kg/Day	1.152	IS 11255 (Part 2) : 1985 RA: 2024
Oxides of Nitrogen (NO ₂)	32.31	mg/Nm ³	-	IS 11255 (Part 7):2005 RA: 2022

- NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****




Authorized Signatory
Yojana Chandoskar




Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report No	SEETL/Project/ST/05/023/099	Report Date	02/06/2025	
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.			
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802			
Order / Reference	LOI Dated-13/02/2025			
Date Of sampling	28/05/2025	Sample Receipt Date	29/05/2025	
Analysis Started on	29/05/2025	Analysis Completed On	02/06/2025	
ULR No.	-			
Sample Collected By	SEETL Representative			
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32	
Environmental Condition of Lab	Temperature(°C)	25	Humidity (%)	51
DETAILS OF STACK				
Attached To	S3-DG I - 40 Kva			
Shape	Round			
Diameter (mm)	20			
Height from Ground Level (Mtr)	13 Mtr			
Temperature (°C)	75.00			
Velocity of Flue Gases (m/sec)	4.22			
Volume of Flue Gases (m³/hour)	4.77			
Volume of Flue Gases (Nm³/hour)	4.06			
Type of Fuel	HSD			
POLLUTIONAL PARAMETERS				
Parameters	Result	Units	MPCB Limit	Method
Total Particulate Matter	13.72	mg/Nm ³	150	IS 11255 (Part 1) : 1985 RA: 2024
Sulphur dioxide (SO ₂)	0.29	Kg/Day	0.96	IS 11255 (Part 2) : 1985 RA: 2024
Oxides of Nitrogen (NO ₂)	30.20	mg/Nm ³	-	IS 11255 (Part 7):2005 RA: 2022
NOTE: 1) The above results relate only to the condition prevailing at the time of sampling. 2) The above results relate only to the item tested. 3) This certificate may not be reproduced without the permission of this Laboratory.				
***** END OF THE REPORT*****				
			 Authorized Signatory Yojana Chandoskar	





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report No	SEETL/Project/ST/05/023/100	Report Date	02/06/2025
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.		
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802		
Order / Reference	LOI Dated-13/02/2025		
Date Of sampling	28/05/2025	Sample Receipt Date	29/05/2025
Analysis Started on	29/05/2025	Analysis Completed On	02/06/2025
ULR No.	-		
Sample Collected By	SEETL Representative		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Environmental Condition of Lab	Temperature(°C)	25	Humidity (%) 51

DETAILS OF STACK

Attached To	Scrubber I
Shape	Round
Diameter (mm)	162
Height from Ground Level (Mtr)	13 mtr
Temperature (°C)	42.00
Velocity of Flue Gases (m/sec)	4.02
Volume of Flue Gases (m ³ /hour)	298.01
Volume of Flue Gases (Nm ³ /hour)	279.65

POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
Acid Mist	16.01	mg/Nm ³	35	Lab SOP No. SEETL/LD/SOP/AA-31

- NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Authorized Signatory
Trupti Mayekar



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
© : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report No	SEETL/Project/WR/05/023/101	Report Date	02/06/2025	
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.			
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802			
Order / Reference	LOI Dated-13/02/2025			
Date Of sampling	28/05/2025	Sample Receipt Date	29/05/2025	
Analysis Started on	29/05/2025	Analysis Completed On	02/06/2025	
ULR No.	-			
Sample Collected By	SEETL Representative			
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32	
Environmental Condition of Lab	Temperature (°C)	25	Humidity (%)	51

WORK PLACE AIR STATION

Location of H.V.S.	Production Plant Area 1 st Floor		
Receptor Distance	30		
Ambient Temperature (°C)	35	Humidity (%)	45
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

POLLUTIONAL PARAMETERS

Parameters	Result	Units	Limits#	Method
Total Dust	0.015	mg/m ³	15.00	IS 5182 (Part 23) 2006 RA: 2022
Oxides of Nitrogen (NO ₂)	<0.005	mg/m ³	9.00	IS 5182 (Part 6): 2006 RA: 2022
Total VOC	< 0.5	µg/m ³	-	EPA TO-17:1999

- NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) # Permissible Exposure Limit as per OSHA (TWA for 8 Hours)
4) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****




Authorized Signatory
Yojana Chandoskar



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report No	SEETL/Project/WR/05/023/102	Report Date	02/06/2025	
Name of Client	M/s. Kulkarni Organics Pvt. Ltd.			
Address of Client	Plot No. A 34/35, MIDC Kurkumbh, Tal Daund, Dist Pune, 413802			
Order / Reference	LOI Dated-13/02/2025			
Date Of sampling	28/05/2025	Sample Receipt Date	29/05/2025	
Analysis Started on	29/05/2025	Analysis Completed On	02/06/2025	
ULR No.	-			
Sample Collected By	SEETL Representative			
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32	
Environmental Condition of Lab	Temperature (°C)	25	Humidity (%)	51

WORK PLACE AIR STATION

Location of H.V.S.	Production Plant Area 2nd Floor		
Receptor Distance	30		
Ambient Temperature (°C)	35	Humidity (%)	45
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

POLLUTIONAL PARAMETERS

Parameters	Result	Units	Limits#	Method
Total Dust	0.019	mg/m ³	15.00	IS 5182 (Part 23) 2006 RA: 2022
Oxides of Nitrogen (NO ₂)	<0.005	mg/m ³	9.00	IS 5182 (Part 6): 2006 RA: 2022
Total VOC	< 0.5	µg/m ³	-	EPA TO-17:1999

- NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) # Permissible Exposure Limit as per OSHA (TWA for 8 Hours)
4) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****




Authorized Signatory
Yojana Chandoskar

ANNEXURE – I – Project Details**1.1 Name and address of the project proposed:**

The project proposed by M/s. Kulkarni Organics Private Limited is a Synthetic Organic Chemical Manufacturing unit at Plot No. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra.

1.2 Project Proposal:

The proposed project has following features:

Sr. No.	Description	Details		
1.	Project Name	M/s. Kulkarni Organics Private Limited		
2.	Type of project	Industrial Estate.		
3.	Project Proponent	Mr. Uttam Kulkarni		
4.	Location	Plot No. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra.		
5.	Total Plot area	3835.00 sq. m		
6.	Total Built up Area	NA		
7.	Project Cost	Rs.1.3 Cr.		
8.	Product			
	Name of Products, By products & Intermediate	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1.	2-(2-Chloro Ethoxy) Acetamide	0	0.25	0.25
2.	4-Nitro Phenyl Ethyl Amine HCL	0	0.10	0.10
3.	5-Methyl Nicotinic Acid	0	0.10	0.10
	TOTAL	0	0.45	0.45

10	Water Requirement (as per EC).	Dry Season	Source of Water	MIDC, Kurkumbh
			Fresh Water (CMD)	7.04
			Recycled Water - Flushing (CMD)	0
			Recycled Water - Gardening (CMD)	0
			Swimming pool makeup (CUM)	NA
			Total Water requirement (CMD)	7.04
			Fire Fighting - Underground Tank (CMD)	60
			Fire Fighting overhead Water tank (CMD)	5
			Excess treated Water	1
		Source of Water	MIDC, Kurkumbh	
		Fresh Water (CMD)	7.04	
		Recycled Water - Flushing (CMD)	0	

		Wet Season	Recycled Water - Gardening (CMD)	0
			Swimming pool makeup (CUM)	NA
			Total Water requirement (CMD)	7.04
			Fire Fighting - Underground Tank (CMD)	60
			Fire Fighting overhead Water tank (CMD)	5
			Excess treated Water	1

11	Effluent Generation (as per EC).	Sewage Generation: 0.43 m ³ /day Industrial Effluent: 3.9 m ³ /day			
12	Capacity (as per EC).	Capacity of ETP: 10 m ³ /day Capacity of STP: 1 m ³ /day			
13	Rain Water Harvesting (as per EC).	1 RWH tank of capacity 25 m ³			
14	Solid Waste Generation (as per EC).	Sr. No.	Source	Quantity (TPM)	
		1.	33.2ETP Sludge	0.15	
		2.	31.1 Residues & MEE bottom waste	0.25	

15	Green Belt Development	33% total plot of Area (70 Nos Tree Planted in this area) Total Area – 3835 sq/mtr Green Belt area – 1277.10 sq/mtr By plan approved MIDC dated 20.04.2023				
16	Energy Requirement	<ul style="list-style-type: none"> • During Construction phase (Demand load):NA • During Operation Phase (Demand load): 80 HP • Transformer : NA • DG Sets: 1 X 30KVA. 				
17	Stack Emission Details					
	Plant Section & Units	Stack No	Height from ground level (M)	Internal diameter (top) (M)	Emission rate	Temp. Of Exhaust
	DG set	1	3	0.1	---	75 ^o
	LDO Boiler stack	2	12	0.4	---	150 ^o
	Agro waste/Solid Fuel Boiler stack	3	18	0.6 m at ground level & 0.4 m at top level	---	170 ^o
18	Details of Pollution Control System					
	Sr. No.	Source	Existing pollution Control System	Proposed to be Installed		
	1.	STP	--	Conventional type STP		
	2.	ETP	--	The ETP will comprise of Oil & Grease Trap, Collection cum Neutralization Tank, Primary Settling Tank, Aeration Tank, Secondary Settling Tank and Pressure Sand Filter. Multi Effect Evaporator of capacity of 2.5 M3/Day will be installed and Zero Liquid Discharge will be achieved.		
	3.	DG sets	--	Acoustic Hood Provision		

18.	Environmental Management Plan	EMP Cost During Construction Phase: NA EMP During operation Phase: <ul style="list-style-type: none">• Capital Cost : 80 Lakh• O & M Cost: 12 Lacs/Yr.
------------	--------------------------------------	--

ENVIRONMENTAL MANAGEMENT PLAN

AIR ENVIRONMENT

- Stack attached to the multi fuel boiler with stack height is 12 & 18 m.
- Use of sprinklers to suppress dust formation.
- Covered raw material.
- Regular water sprinkling.
- Plantation of trees around the site to reduce effects of air / noise pollution.
- Preventive maintenance of the internal roads.
- Adequate parking spaces.

NOISE ENVIRONMENT

- Buffer in form of wall and tree plantation will be provided along the plot periphery.
- Smooth flow of traffic will be maintained by office staff to avoid idling of vehicles.
- DG Sets provided with acoustic enclosures meeting EPA norms.
- Preventive maintenance of fans, blowers, compressors.
- Sturdy foundations to control vibration.

WATER ENVIRONMENT

- We are zero liquid discharge industry.
- Adequate size of Storm Water drains.
- Roof top rain water connected to rain water harvesting pits.
- After proper filtration, harvested rain water will be lead to the bore well for recharging ground water.
- Accumulation of stagnant water avoided to prevent breeding of mosquitoes.

SOCIO-ECONOMIC DEVELOPMENT ACTIVITIES

- Vocational training to educated unemployed youths.
- Local people shall be engaged to maintain the greenbelt, gardens, transportation, small construction etc.

ENVIRONMENTAL SAFETY MEASURES

There shall be regular medical checkup of the workers. Adequate safety precautions shall be exercised strictly for observing the safety norms. Protective equipment's shall be stocked and made available to the workers i.e.

- Industrial Safety Helmet.
- Crash Helmets.
- Face shield with replacement acrylic vision.
- Zero power goggles with cut type filters on both sides and blue colour glasses.
- Welders' equipment for eye & face protection.
- Cylindrical type earplug.
- Ear muffs.
- Dust masks.
- Self-contained breathing apparatus.
- Leather apron.
- Boiler suit.
- Safety belt/line man's safety belt.
- Leather hand gloves.
- Canvas cum leather hand gloves with leather palm.
- Industrial safety shoes.

RISK MANAGEMENT

- Raw material will be separately stored in covered area and solvent will be stored in under nitrogen gas blanketed storage tank as per the norms and safety rules of chief controller of explosive, Nagpur.
- All around the plant fire extinguisher and sand buckets will be provided.

EMERGENCY PREPAREDNESS PLAN

ONSITE EMERGENCY PLAN

- Risk Assessment study has been conducted taking preview of all hazards.
- Training sessions and Awareness Programs.
- Mock Drills and Emergency evacuation.
- Establishment of primary and secondary control centers.
- Periodic checking & maintenance of all equipment.

OFFSITE EMERGENCY PLAN

- Close co-ordination with the local authorities and organizations.
- Booklets circulation in the local languages.
- Yearly awareness program.
- Display of details about the pollutants and possible hazards.
- Alert Warning systems.
- Wind direction indicators at strategic locations.

Annexure - II

ALLOCATION MADE FOR ENVIRONMENTAL MANAGEMENT PLANS

A) Construction Phase (With Break-up)

Sr. No.	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1.	NA	NA	NA

B) Operation Phase (With Break-Up)

Sr. No.	Component	Description	Capital Cost Rs. In Lacs	Operational and Maintenance cost (Rs. In Lacs/Yr.)
1.	Air	Air Pollution Control	3.0	1.0
2.	Water	Water Pollution Control	26.0	2.5
3.	Noise	Noise Pollution Control	2.0	0.5
4.	Environment Monitoring	Environment Monitoring	--	0.5
5.	Occupational Health	Occupational Health	2.0	0.5
6.	Green Belt	Green Belt	1.0	0.5
7.	Rain Water Harvesting	Rain Water Harvesting	3.0	0.5
8.	Solid waste Management	Solid waste management	1.0	0.90
9.	Solar for plant illumination	Solar for plant illumination	16.87	2.0
TOTAL			54.87	8.9

PROJECT STATUS REPORT

BACKGROUND

EC No.	:	File No. SEIAA Meeting No: 112 Meeting Date: July 27, 2017 (SEIAA STATEMENT-0000000373) SEIAA-MINUTES-0000000215 SEIAA-EC-0000000163, dated 9 th August 2017.
Project Name	:	Compliance report for Industrial Project- Synthetic Organic Chemical Manufacturing unit, by M/s. Kulkarni Organics Pvt. Ltd.,
Project location	:	Plot No. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra.
Developer name	:	M/s. Kulkarni Organics Private Limited.
Developer address	:	M/s. Kulkarni Organics Private Limited. Plot No. A-34/35 MIDC Kurkumbh, Tehsil-Daund, District- Pune, Maharashtra.

PROJECT STATUS

Sr. No.	Status Updated on	30.12.2025
1.	Excavation details	100 % Work is completed.
Construction Details : -		
1.	Storage house for Raw Material	100 % Work is completed.
2.	ETP	100 % Work is completed.
3.	RWH	Work not yet started.
4.	Storage house for finished product	100 % Work is completed.
5.	Office	100 % Work is completed.
6.	Lab and R & D	100 % Work is completed.
7.	Storm water drains	100 % Work is completed.
8.	Internal Road	100 % Work is completed.
9.	Solid waste facility	Storage is 100 % completed.
10.	Gardening & Landscaping	100 % Work is completed.

Place - Kurkumbh MIDC, Pune

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: ast@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I (R22)
No:- Format1.0/AS(T)/UAN
No.0000167106/CR/2310000659

Date: 10/10/2023

To,
M/s. Kulkarni Organics Pvt. Ltd.
Plot No. A 34/35, MIDC Kurkumbh
Tal Daund, Dist Pune.



Sub: Grant of Renewal of Consent to Operate under RED/SSI

- Ref:**
1. Consent to Operate accorded by the Board vide No. Format 1.0/BO/AST/UAN No. 0000038918/O-1808000925, dated 23/08/2018, which was valid upto 31/05/2023.
 2. Environmental Clearance accorded vide dated 09/08/2017

Your application No.MPCB-CONSENT-0000167106 Dated 31.03.2023

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 31/05/2028**
2. **The capital investment of the project is Rs.2.8787 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 1.30 Crs + Increase in C.I. - Rs. 1.5787 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
1	2-(2-Chloro Ethoxy) Acetamide)	250	0	250	Kg/M
2	5-Methyl Nicotinic Acid	100	0	100	Kg/M
3	4-Nitrophenyl Ethyl Aamine	100	0	100	Kg/M
4	Nitric Acid (Repacking activity only)	10000	0	10000	Kg/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	0.9	As per Schedule-I	Recycle 100% to achieve ZLD

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	0.43	As per Schedule-I	Soaked in soak pit

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Boiler (4 MT/Hr)	1	As per Schedule -II
2	S-2	Boiler (600 Kg.Hr)	1	As per Schedule -II
3	S-3	DG (40 KVA)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Salt	500	Kg/M	Sale	Sale to authorized party
2	Coal Ash	2.0	Ton/M	Sale	Sale to Brick Manufacturer

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	35.3 Chemical sludge from waste water treatment	0.15	Ton/Y	Landfill	CHWTSDF
2	34.2 Sludge from treatment of waste water arising out of cleaning / disposal of barrels / containers	0.25	Ton/Y	Landfill	CHWTSDF
3	MNO2	2	Ton/M	Recycle*	Sale to authorised party / CHWTSDF

*** Industry shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016**

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. The applicant should comply with the conditions of Environmental Clearance accorded vide dated 09/08/2017
11. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
12. The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
13. The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDF, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 an keep proper manifest thereof.

14. This consent is issued as per the Office Order for Consent Management of the Board No. 12/2020 dtd. 23/12/2020.
15. Industry shall comply with online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and its connectivity to the MPCB server. Industry shall also ensure separate energy meter to the pollution control devices.
16. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	90000.00	MPCB-DR-18652	28/04/2023	RTGS

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 2.50 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Tertiary (Pressure sand filter, Activated carbon filter), Advanced treatment (Reverse osmosis, Multi effective evaporator), Sludge treatment (Sludge drying bed) for the treatment of 0.9 CMD of trade effluent.
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
C] Industry shall comply with online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and its connectivity to the MPCB server. Industry shall also ensure separate energy meter to the pollution control devices.
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 0.43 CMD of sewage.
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.---

Sr.No	Parameters	Standards (mg/l)	
1	Suspended Solids	Not to exceed	50
2	BOD 3 days 27°C	Not to exceed	30

- C] The treated sewage shall be soaked in soak pit and overflow if any shall be discharged on land for gardening within premise after confirming above standards.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1.50
2.	Domestic purpose	0.54

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	1.0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	Boiler (4 MT/Hr)	Stack	18.00	LDO 16 Ltr/Hr	1.8	TPM	150 Mg/Nm ³
						SO ₂	13.824 Kg/Day
S-2	Boiler (600 Kg.Hr)	Dust Collector	18.00	Agro Waste/Solid Fuel 40 Kg/Hr	0.06	TPM	150 Mg/Nm ³
						SO ₂	1.152 Kg/Day
S-3	DG Set (40 KVA)	Acoustic Enclosure	3.50	HSD 6 Ltr/Hr	1	TPM	150 Mg/Nm ³
						SO ₂	0.96 Kg/Day
S-4	Process Vent	Scrubber	3.00	-	-	Acid Mist	35 Mg/Nm ³

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Solvent Management shall be carried out as follows:
- Reactors shall be connected to Water / Chilled Water /Brine Condenser system.
 - Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
 - The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 97% overall recovery
 - Solvents shall be stored in a separate space specified with all safety measures.
 - Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.
 - Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
 - All the solvent storage tanks shall be connected with vent condensers with Water / chilled water / Brine circulation.
 - Fugitive emissions shall be controlled at 99.95% with effective chillers.
 - Solvent transfer shall be through pump.
 - Metering and control of quantities of active ingredients to minimize wastes.
 - Use of automatic filling to minimize spillage.
 - Use of close feed system into batch reactors.
 - Venting equipment through vapour recovery system.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (existing to be extended)	Rs. 1 Lakh	15 days	Towards O & M of Pollution Control Systems & Compliance of Consent Conditions.	31/05/2028	30/11/2028

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.

MAHARASHTRA POLLUTION CONTROL BOARD REGIONAL OFFICE PUNE

Phone - (020) 25811 694
Fax - (020) 2581 1029
Gram - Prepoll



3rd Floor, "Jog Center"
Wakadewadi Mumbai-Pune Road,
Pune - 411003.

Cat. :- RED/SSI

Date : 13/05/08

Consent No. : ROPIE/25/CC/ PUNE/ Pune-2/09/08

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management & Handling) Rules 1989 and Amendment Rules thereto.

[To be referred as Water Act, Air Act and HW(M&H) Rules respectively].

CONSENT is hereby granted to
M/s. Kulkarni Organics Pvt. Ltd.
A - 34 & 35, MIDC, Kurkumbh,
Tal :- Daund.
Dist:- Pune.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to **Commissioning of the Unit**
2. The Consent is valid for the manufacture of -

<u>Sr.No.</u>	<u>Product</u>	<u>Maximum Quantity</u>
1.	2 - Benzilidine Iso Butryl Acetanilide (BIBA)	800 Kg/M.
2.	2-(2-Chloro Ethoxy) Acetamide (Industry should have solvent recovery system)	600 Kg/M.

3. **CONDITIONS UNDER WATER ACT :**

- (i) The daily quantity of trade effluent from the factory shall be **0.9 M³**.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed **0.3 M³**.
- (iii) **Trade Effluent Treatment :** The applicant shall provide comprehensive treatment system considering of primary/secondary / and or tertiary treatment as is warranted with reference to influent quality & operate maintain the same continuously so to achieve the quality of the treated effluent to the following standards

Bundhe

1)	pH	Between	5.5 to 9.0
2)	Suspended Solids	Not to exceed	100 mg/l.
3)	BOD 3days 27 Deg. C.	Not to exceed	100 mg/l.
4)	COD	Not to exceed	250 mg/l.
5)	Oil & Grease	Not to exceed	10 mg/l.
6)	TDS	Not to exceed	2100 mg/l.
7)	Chlorides	Not to exceed	600 mg/l.
8)	Sulphates	Not to exceed	1000 mg/l.

(iv) **Trade Effluent Disposal :** The trade effluent shall be recycle to the maximum extent and remaining shall be discharged on land gardening and irrigation

(v) **Sewage Effluent Treatment :** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed	100 mg/l.
(2)	BOD 3 days 27° C.	Not to exceed	100 mg/l.



(vi) **Sewage Effluent Disposal :** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes :**

<u>Type of waste</u>	<u>Quantity</u>	<u>Treatment</u>	<u>Disposal</u>
Dilute spent Nitric acid (15%)	600 Lit/M	----	By sale

(viii) **Other conditions :** The industry shall monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules thereunder:

The daily water consumption for the following categories is as under:

(i) Domestic	...	0.5 CMD
(ii) Industrial Processing	...	1.2 CMD
(iii) Industrial Cooling	...	--- CMD
(iv) Agriculture/Gardening	...	3.0 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR ACT :**

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

Control Equipment :

Dust collector of adequate capacity shall be provided to all sources of SPM/TPM and shall be operated properly.

Standards for Emissions of Air Pollutants :

- (i) SPM/TPM Not to exceed 150 mg/Nm³
- (ii) SO₂ Not to exceed 30 Kg/Day.

(ii) **The applicant shall observe the following fuel pattern :-**

<u>Sr.No.</u>	<u>Type of Fuel</u>	<u>Quantity</u>
1.	LDO	6.0 Lit/hr.

(iii) **The applicant shall erect the chimney(s) of the following specifications :-**

<u>Sr.No.</u>	<u>Chimney attached to</u>	<u>Height in Mtrs.</u>
1.	Boiler	12 Mtrs
2.	D.G. Set	2.5 Mtrs (above the roof)

The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to

various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.

- (v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) **Other Conditions :**

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HW (M&H) RULES, 1989 & AMENDMENT RULES :

- (i) The applicant shall handle hazardous wastes as specified below:

Sr. no.	Item No. of Process generating HW as per Schedule-I	Type of Waste	Quantity	Disposal
1	34.3	ETP Sludge	20 Kg/M,	Resued in Process
2	20.3	Process Sludge	50 Kg/M.	
3	20.2	Spent solvent washed & redistilled	1000 Lit/M.	

- (ii) Treatment :


(iii) The authorization is hereby granted to operate a facility for collection, storage, transport and disposal of hazardous waste.

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services,

Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

8. The applicant shall comply with the conditions as stipulated under Annexure - I & II enclosed.

9. Capital Investment is
Rs. 90.0 Lacs



For AND ON BEHALF OF M.P.C. BOARD

V. N. Mundhe

(V. N. MUNDHE)
REGIONAL OFFICER,
PUNE

14.05.2008

(When consent issuing authority is other than Member Secretary, State)

Name : Shri. V. N. Mundhe

Designation : Regional Officer

Office Address : 3rd Floor, Jog Center, Wakadewadi Mumbai-Pune Road, Pune - 03.

To,
M/s. Kulkarni Organics Pvt. Ltd.
A - 34 & 35, MIDC, Kurkumbh,
Tal :- Daund.
Dist:- Pune.

Copy to:

- 1) Regional Officer, MPCB, Pune.
- 2) Sub-Regional Officer, MPCB, Pune - I
- 3) Chief Accounts Officer, MPCB, Mumbai

Received Consent fee of -

	<u>Amount</u>	<u>D.D.No.</u>	<u>Date</u>	<u>Drawn on</u>
Rs.	3000/-	929611	30.01.08	S.B.I

4] Cess Branch, MPCB.

5] Master file.